

Repository with history

DACI: How to implement a repository with history?

| | |
|--------------|--|
| Status | RELEASED |
| Impact | HIGH |
| Driver | Chris Grote |
| Approver | Mandy Chessell |
| Contributors | Graham Wallis David Radley |
| Informed | |
| Due date | |
| Outcome | Progressed option 2 to a release state |

Tips and info



Recommendations

We agreed to examine the potential of Option 2 in more detail, and have now ultimately taken that approach to a released state.

Background

A common scenario we come across with almost all metadata repositories we have seen is that they lack the ability to store historical information about metadata and respond to point-in-time inquiries. While Egeria's type system and APIs have been built from the beginning to support such history, we have not yet implemented a backend storage option that implements history.

Considering this comes up frequently as a common need, even to augment existing metadata repositories, providing such a historical store for metadata could be a somewhat narrow but nonetheless extremely common adoption point for Egeria.

Current state

We are currently considering implementation options for an initial approach to such a repository.

Data for decision support

- Identification of potential technologies to use as the backing store for such a repository.

Options considered

| | Option 1: bi-temporal RDBMS | Option 2: bi-temporal graph | Option 3: search index |
|--------------|--|--|--|
| Description | Using a bi-temporal relational database like DB2 | Using a bi-temporal graph store like Crux | Using a search index like Elastic |
| Rollout plan | | Start with some initial proof of concept activities like building some of the basic methods in a repository connector. | Leaving as an alternative approach that was suggested, but no further details available. |

| | | | |
|----------------------------------|---|--|--|
| Pros and cons | <div data-bbox="418 138 786 302">  Native Handles historical information natively at the storage layer, so should be simpler to implement point-in-time inquiry. </div> <div data-bbox="418 327 786 491">  New approach Takes a new approach to a backing store (relational) compared to our existing implementations (graph-based) </div> <div data-bbox="418 516 786 701">  Commercial We are unaware of any open source, native bi-temporal RDBMS, so this would put a dependency on licensed commercial software. </div> <div data-bbox="418 726 786 995">  Schema Requires a fixed schema, which raises questions about how to both handle efficient queries (not storing things as unqueryable blobs) but also manage history when the type system itself (schema?) may have changed over the course of that history (ie. deprecated attributes and types) </div> | <div data-bbox="805 138 1351 281">  Native Handles historical information natively at the storage layer, so should be simpler to implement point-in-time inquiry. </div> <div data-bbox="805 306 1351 428">  Similar to existing Close alignment with our current repository approaches that are more graph-focused than relational. </div> <div data-bbox="805 453 1351 617">  Embedded option Provides a simple option to run in an embedded capacity, which could be useful for demonstration purposes (not requiring additional infrastructure and components). </div> <div data-bbox="805 642 1351 785">  Pluggable backends Implemented using pluggable characteristics for its own backends, including both open source and commercial options. </div> <div data-bbox="805 810 1351 974">  Schemaless It sounds like each document in Crux is essentially schema-less (tuples / triples-based), so it may be feasible to store multiple versions of a type across the history of a given instance of metadata  </div> | |
| Risks | | <div data-bbox="805 1029 1351 1281">  Scalability The resource requirements that might be necessary for a "true production" rollout are unclear, or the volume to which it can scale. (We heard mention of "16 TB" (sounds plenty) but also "10 million triples" (with history, and one triple per attribute value, per instance, this sounds small?) – from subsequent conversations we confirmed that this is 10 <i>billion</i> triples rather than million, alleviating our immediate concerns. </div> | |
| Estimated cost and effort | | | |

FAQ

Q1.

A1.

References

| Relevance | Link |
|---------------------------|---|
| Original GitHub issue | https://github.com/odpi/egeria/issues/2545 |
| Discussion with Crux team | 2020-11-27 Meeting notes |
| | |
| | |



Follow-up action items



Learn more: <https://www.atlassian.com/team-playbook/plays/daci>

Copyright © 2016 Atlassian

This work is licensed under a [Creative Commons Attribution-Non Commercial-Share Alike 4.0 International License](https://creativecommons.org/licenses/by-nc-sa/4.0/).